

TECHNICAL AND ORGANISATIONAL CONDITIONS FOR DELIVERIES OF WOOD RAW MATERIAL
to Lenzing Biocel Paskov, Effective from 1 January 2026

WOOD CHIPS

These technical conditions apply to the production and delivery of wood chips made from spruce raw material, intended for chemical processing at Lenzing Biocel Paskov a.s. Deliveries must not include wood chips contaminated with soil, charred or otherwise fire-damaged chips, or chips containing plastics or other foreign substances. It is not permitted to supply wood chips produced from dried sawn wood or from wood with a dry matter content exceeding 75%.

Bark content:

> 1% - 2 %	- 2%	of the purchase price
> 2 % - <= 3%	- 6%	of the purchase price
> 3%	-50%	of the purchase price or return

Quality Determination

1. The wood chips shall be screened without adjustment of moisture content. If the chips are heavily saturated, they must be left to air-dry for 1–2 hours before screening begins.
2. A sample of approximately 2 kg shall be assessed, taken from six randomly selected points within the delivery. The collected sample shall be weighed with an accuracy of 0.01 g and used for the determination of quality and dry matter content.
3. Bark shall be manually separated from the sample. Bark adhering to wood chips shall be removed from the wood material using a knife. Bast together with bark, as well as bast alone, shall be classified as bark, while bast attached to wood shall be classified as wood.
4. The separated bark shall be weighed with an accuracy of 0.01 g. The percentage of bark content shall be calculated by dividing one hundred times the mass of the bark by the total mass of the sample.
5. The determination of individual fractions (screen analysis) shall be carried out in accordance with SCAN-CM 40:01 using an automatic Gradex screener, which, after sorting the sample, calculates and prints the analysis results. In the event of a malfunction, fraction determination shall be performed using a LORENTZEN – WETTRE laboratory screener.
6. The screening machine has five screens:
 - A perforated plate with 45 mm diameter holes, 60 mm centre-to-centre spacing
 - B wire mesh screen with 8 mm slots
 - C perforated plate with 13 mm holes, 18 mm centre-to-centre spacing
 - c perforated plate with 7 mm diameter holes, 8.5 mm centre-to-centre spacing
 - D perforated plate with 3 mm diameter holes, 8 mm centre-to-centre spacing
 - E undersize fraction of remaining wood chips

vibration frequency 245 ± 10 per minute
oscillation length 55 mm
screening time approx. 15 minutes
quantity of screened wood chips approx. 2 kg

7. The quality of the delivery is determined according to the proportions of individual fractions. The acceptable fraction is defined as the sum of fractions B + C (CV) + c, and at the same time the proportion of fraction C (CV) must not be lower than 50%.

If it is found that the seller has achieved less than 50% on the C (CV) screen, a price deduction shall be applied corresponding to the percentage shortfall from this criterion (rounded to a whole number).

C (CV) screen	49% =	-1% of the purchase price
	48% =	- 2% of the purchase price
	etc.	

Content of fraction E (sawdust):

>2% -	5%	= - 10% of the purchase price
>5%		= - 50% of the purchase price

8. Contamination of Wood Chips

A contaminated delivery of wood chips shall be returned to the seller at their expense. If the delivery cannot be returned, a 50% price deduction shall be applied and the delivery shall be designated for incineration. The seller shall be requested to immediately suspend deliveries, which may only be resumed after the cause of contamination has been eliminated.

Technical Description of Quantitative Acceptance Using the ATRO System

Delivery Weight

1. The weight of the delivery shall be determined as the difference between the gross weight of the loaded transport vehicle (including the load) and the tare weight of the transport vehicle itself.
2. The weight of the transport vehicle shall be determined by direct weighing (in the case of road vehicles) or by using the official recorded tare weight (in the case of rail wagons).

Sampling

3. Before unloading the delivery, a sample shall be taken (in accordance with the relevant work instruction) for the determination of quality, from which a subsample shall be used for dry matter determination. Deliveries for sampling for qualitative and quantitative acceptance shall be selected using a sampling programme in accordance with the section "Selection of samples for laboratory analysis."
4. From a properly homogenised sample of wood chips, an appropriate amount of 100–200 g shall be taken into a weighing dish and weighed on laboratory scales with an accuracy of 0.01 g.
5. The thus weighed sample shall be placed in a drying oven, where the drying process takes place at a temperature of $t = 103 \pm 2 \text{ }^\circ\text{C}$.
6. Drying at the specified temperature is completed once a constant mass is reached (i.e. no further change in moisture content).
7. After drying, the sample shall be weighed again with an accuracy of 0.01 g.

Determination of Dry Matter Content in the Sample

8. The dry matter content shall be determined according to the following formula:

$$T = \frac{m_o}{m_w} \times 100 (\%)$$

where: T is the dry matter content in percent
 m_w is the mass of the sample before drying, in grams
 m_o is the mass of the sample after drying, in grams

9. The dry matter content shall be calculated to two decimal places.

Determination of the Dry Matter Mass in the Delivery

10. The dry matter mass in the delivery shall be calculated according to the following formula:

$$M_o = \frac{T}{100} \times M_w (\text{kg})$$

Where: M_o is the calculated dry matter mass in kilograms
 M_w is the weight of the delivery in the raw state, in kilograms (net)

T is the dry matter content of the wood sample, expressed as a percentage, determined by laboratory analysis

Acceptance of Road Deliveries

Given the organisation of wood acceptance, the following conditions are an integral part of transportation contracts:

1. The only possible access to the plant is from the R56 expressway (Staříč exit at the 49th kilometre) via the connecting roads (111 and 112). It is prohibited to pass through the municipalities of Paskov, Sviadnov, Oprechtice, Žabeň, and Staříč.
2. Entry to the LBP premises is subject to completion of training on the rules and safety instructions for drivers of wood suppliers, and the issuance of an entry card. For all employees of external organisations working (or staying) at the workplaces of Lenzing Biocel Paskov a.s., the regulation S 472 – Rules of Occupational Safety, Fire Protection, and Environmental Protection for contractors applies. The document is available on the LBP Extranet in the Documents section.
3. During the receipt of wagons, carriers' vehicles shall be parked in the car park in front of the gatehouse or at the road weighbridge, in the order in which they arrive (as indicated on the display board before entry)
4. After being admitted to the site, the vehicles shall proceed in the designated order through weighing and acceptance. Each vehicle shall be uncovered on the access road prior to arrival at the weighbridge for sampling purposes.
5. All internal roads within the premises are governed by Act No. 361/2000 Coll. The maximum speed for road vehicles within the premises of Lenzing Biocel Paskov a.s. is **30 km/h**. Railway crossings within the premises of Lenzing Biocel Paskov a.s. are unsecured, and zone signage applies – railway vehicles always have priority over all other road users in all cases. Stopping, parking, or manoeuvring vehicles on railway tracks or outside designated areas is prohibited. On handling areas of the wood yard, a maximum speed of 5 km/h is permitted.
6. The access road, the container with kiosks, and the road weighbridges are monitored by a camera system. In accordance with the receiving operator's instructions, after weighing and sampling, unloading of the cargo shall be carried out without delay at the designated area, followed by immediate departure from the company premises.
7. The movement of vehicles and crews within the site is restricted to the access road, the weighbridge, the unloading area, and the designated exit route from the site (see diagram). Movement of crews elsewhere within the site, on operational buildings, or activities such as parking, washing, vehicle repairs, or disposal of waste outside designated containers is strictly prohibited.
8. The maximum permitted (limit) height of a vehicle with its load is 4.2 m. A light barrier is installed on the access road to the weighbridge, which, if the height is exceeded, will trigger a warning signal. The driver must not proceed onto the weighbridge, as doing so may damage the structure of the suspended safety barrier.
9. If the unloading area is occupied by vehicles currently unloading, other vehicles shall wait so that unloading can take place in the designated space.
10. After unloading in the designated area, the driver is obliged to thoroughly clean the trailer of any remaining wood chips from the structure, so that subsequent driving does not cause

contamination of the roads, particularly outside the premises of Lenzing Biocel Paskov a.s.

11. The driver is required to immediately report any spillage of hazardous substances onto the ground, roads, or into the drainage system to the shift supervisor of the wood yard – 558 461 421 – or to the fire reporting office – 558 467 150. The carrier undertakes to cover any additional costs incurred for the disposal of such substances.
12. The movement of vehicles within the company premises is restricted to the access road, the road weighbridge, the unloading area, and the designated exit route out of the plant (see diagram).
Movement of vehicle crews within the plant premises outside the above-mentioned route is strictly prohibited, as is entering operational buildings, parking, washing, or repairing vehicles inside the plant, and disposing of waste outside designated collection containers. It is also forbidden to transport any additional persons in the vehicle without a properly issued entry card.

In the event of repeated non-compliance with the above conditions, Lenzing Biocel Paskov a.s. reserves the right to deny entry to the identified vehicle (by license plate number) or carrier into the company premises.

Schedule of Wood Chip Acceptance at Lenzing Biocel Paskov a.s.

Delivery acceptance times are:

Monday – Friday: 06:00 – 21:00

Saturday – Sunday: 06:00 – 21:00

It is necessary to adhere to the schedule when planning delivery arrivals and to have a valid eDL (electronic delivery note) issued.

Sampling for Laboratory Analysis

Deliveries selected for analysis will be automatically chosen by the program, based on sampling frequency according to the volume of deliveries from each supplier. The algorithm of this program performs a random selection, separately for each supplier. To ensure statistical significance, deliveries are selected according to the following criteria:

For determination of bark and dry matter content:

<u>Deliveries for the accounting period</u>	<u>Checked deliveries</u>
1 – 40	each delivery
41 – 100	every fifth delivery
> 100	every tenth delivery

For determination of fraction content:

<u>Deliveries for the accounting period</u>	<u>Checked deliveries</u>
1 - 10	every second delivery
10 - 20	every third delivery
21 - 40	every fifth delivery

For deliveries selected in this manner, the bark and dry matter content will be determined. The fraction composition of the wood chips will be determined using a GRADEX analyser (according to SCAN-CM 40:01).


From the values obtained from these random samples for the accounting period (10-day period, month, etc.), the delivered quantity will be calculated (delivered air-dry tonnes × average dry matter = bone-dry t), separately for each supplier.

A similar procedure will be used to calculate quality. The average values of bark content and individual fractions will be determined, and, according to the Technical Conditions, these values will be used to assess the entire delivery for the accounting period.

The statistical sampling system ensures a sufficient number of data points for pricing during both qualitative and quantitative acceptance, and the values obtained in this manner will provide more reliable information on the actual average quality of the delivered wood chips.

Transport Route of Wood Chips within the Lenzing Bioceel Paskov a.s. Site

Company Fire Brigade: 558 462 333
Wood Reception: 558 462 211





Dodací list

Informace	
Dodací list (eDL)	5036
Dojezdové okno	20.12.2020 07:00 - 17:00
Smlouva č.	200116/01
Dodací podmínky	EXW Místo
Číslo dodavatele	34005734 /
Kontaktní osoba	
Telefon	+420 123 456 789
Závod	EXW Dodavatel štěpky - závod
Země původu dřevní hmoty	CZ
Speditér	KATR s.r.o.
Číslo speditéra	34003049
Přepravce	Test GPS pro MII
Číslo přepravce	74000387

Adresa dodavatele
Společnost EXW Dodavatel štěpky - podnik ulice 131 Město ČESKÁ REPUBLIKA
Telefon: e-mail:

Dodací adresa
Lenzing Biocel Paskov a.s. Místecká 782 739 21 PASKOV ČESKÁ REPUBLIKA
Telefon: +420 558 482 211 e-mail: silnicni.vahy@lenzing.com

Informace z eDL									
4. Dřevní hmota	5. Dřevina	6. Kategorie	7. Délka vlákniny						
Štěpka	Smrk								
8. Výpočet: délka x výška x šířka x počet hrání = prm, prm x koeficient (2-3 m = 0,66, 4-8 m = 0,62) = m3								9. Konsignace	
2,2x2,4x15								90,00 (prm)	
10. RZ vozidla / Číslo vagonu			11. Řidič telefon		12. Řidič e-mail		13. Volný text		
1A19999			+420 987 654 321		ridic1@doprava.cz				
14. Typ certifikátu	15. Certifikát	16. %	17. Certifikát dodavatele						
FSC	FSC Dřevo necertifikované								
PEFC	PEFC certifikováno	30,30	TUH - 103/18						
18. LHC kód	19. LHC název	20. Les	21. Stád	22. Kalamita	23. Majitel / Porost				
				NE					
24. Nákladovka	25. Místo naložení / Stanice odesílání	26. PSC / č. žet. stanice	27. Okres	28. Stát	29. Km	30. Km k fakturaci			
eDL	Frydek-Místek	738 01	Frydek-Místek	CZ	13				
GPS									
31. Poznámka k GPS									
32. Poznámka dodavatele									
33. Poznámka dopravce									
34. Klasifikace / dodavatelská evidence 1		box 2							
35. Klasifikace / dodavatelská evidence 2									
36. Klasifikace / dodavatelská evidence 3									

Informace k příjemce dodávky			
37. Přeměření: délka x výška x šířka x počet hrání = prm, prm x koeficient (2-3 m = 0,66, 4-8 m = 0,62) = m3			38. Přeměření
			39. Stád
40. Kvalitativní příjemka - srážky % (materiál)		42. Srážky celkem %	43. Nedodržení org. a bezp. pravidel
			45. Srážky celkem %
46. Poznámka příjemky			47. Přílohy
			NE
48. Vstupní vážení - brutto (t)	49. Vstupní vážení - tara (t)	50. Hmotnost nákladu - netto (t)	51. Ostatní služby
0	0	0	
52. Datum a čas vstupního vážení	53. Datum a čas příjmu dodávky	54. Přijal	
		Pivotex	

**PROHLÁŠENÍ DODAVATELE O PŮVODU ZBOŽÍ
KE KUPNÍ SMLOUVĚ Č.
LIEFERANTENERKLÄRUNG ZUR MATERIALHERKUNFT ZU
KAUFVERTRAG NR.**

Tímto s nejlepším vědomím a svědomím prohlašujeme, že surovina, ze které byly společnosti
Hiermit erklären wir nach bestem Wissen und Gewissen, dass das Rohmaterial der an die Firma

**Lenzing Biocel Paskov a.s. (zkráceně LBP / kurz LBP)
Místecká 762
739 21 Paskov**

dodány produkty / gelieferten Produkten

(prosím zakřížkovat / Bitte ankreuzen) kulatina / Rundholz štěpka / Hackgut vláknina / Faserholz

zahrnuje následující dřeviny a jejich geografický původ (stát / region) / folgende Holzarten und geografische Herkunft (Land/Region)
umfasst::

(prosím zakřížkovat / Bitte ankreuzen)

Země původu region Ursprungsland Region	Dřeviny Baumarten
<input type="checkbox"/> Rakousko Österreich	<input type="checkbox"/> buk <i>Buche</i> <input type="checkbox"/> javor <i>Ahorn</i> <input type="checkbox"/> jasan <i>Esche</i> <input type="checkbox"/> bříza <i>Birke</i> <input type="checkbox"/> smrk <i>Fichte</i> <input type="checkbox"/> jedle <i>Tanne</i> <input type="checkbox"/> borovice <i>Kiefer</i>
<input type="checkbox"/> Německo Deutschland	<input type="checkbox"/> buk <i>Buche</i> <input type="checkbox"/> javor <i>Ahorn</i> <input type="checkbox"/> jasan <i>Esche</i> <input type="checkbox"/> bříza <i>Birke</i> <input type="checkbox"/> smrk <i>Fichte</i> <input type="checkbox"/> jedle <i>Tanne</i> <input type="checkbox"/> borovice <i>Kiefer</i>
<input type="checkbox"/> Česká republika Tschechien	<input type="checkbox"/> buk <i>Buche</i> <input type="checkbox"/> javor <i>Ahorn</i> <input type="checkbox"/> jasan <i>Esche</i> <input type="checkbox"/> bříza <i>Birke</i> <input type="checkbox"/> smrk <i>Fichte</i> <input type="checkbox"/> jedle <i>Tanne</i> <input type="checkbox"/> borovice <i>Kiefer</i>
<input type="checkbox"/> Slovensko Slowakei	<input type="checkbox"/> buk <i>Buche</i> <input type="checkbox"/> javor <i>Ahorn</i> <input type="checkbox"/> jasan <i>Esche</i> <input type="checkbox"/> bříza <i>Birke</i> <input type="checkbox"/> smrk <i>Fichte</i> <input type="checkbox"/> jedle <i>Tanne</i> <input type="checkbox"/> borovice <i>Kiefer</i>
<input type="checkbox"/> Maďarsko Ungarn	<input type="checkbox"/> buk <i>Buche</i> <input type="checkbox"/> javor <i>Ahorn</i> <input type="checkbox"/> jasan <i>Esche</i> <input type="checkbox"/> bříza <i>Birke</i> <input type="checkbox"/> smrk <i>Fichte</i> <input type="checkbox"/> jedle <i>Tanne</i> <input type="checkbox"/> borovice <i>Kiefer</i>
<input type="checkbox"/> Slovinsko Slowenien	<input type="checkbox"/> buk <i>Buche</i> <input type="checkbox"/> javor <i>Ahorn</i> <input type="checkbox"/> jasan <i>Esche</i> <input type="checkbox"/> bříza <i>Birke</i> <input type="checkbox"/> smrk <i>Fichte</i> <input type="checkbox"/> jedle <i>Tanne</i> <input type="checkbox"/> borovice <i>Kiefer</i>
<input type="checkbox"/> Polsko Polen	<input type="checkbox"/> buk <i>Buche</i> <input type="checkbox"/> javor <i>Ahorn</i> <input type="checkbox"/> jasan <i>Esche</i> <input type="checkbox"/> bříza <i>Birke</i> <input type="checkbox"/> smrk <i>Fichte</i> <input type="checkbox"/> jedle <i>Tanne</i> <input type="checkbox"/> borovice <i>Kiefer</i>

(při potřebě prosím zakřížkovat)

Ostatní země původu Sonstige Ursprungslander	Dřeviny Baumarten
<input type="checkbox"/> _____	<input type="checkbox"/> buk <i>Buche</i> <input type="checkbox"/> javor <i>Ahorn</i> <input type="checkbox"/> jasan <i>Esche</i> <input type="checkbox"/> bříza <i>Birke</i> <input type="checkbox"/> smrk <i>Fichte</i> <input type="checkbox"/> jedle <i>Tanne</i> <input type="checkbox"/> borovice <i>Kiefer</i>
<input type="checkbox"/> _____	<input type="checkbox"/> buk <i>Buche</i> <input type="checkbox"/> javor <i>Ahorn</i> <input type="checkbox"/> jasan <i>Esche</i> <input type="checkbox"/> bříza <i>Birke</i> <input type="checkbox"/> smrk <i>Fichte</i> <input type="checkbox"/> jedle <i>Tanne</i> <input type="checkbox"/> borovice <i>Kiefer</i>
<input type="checkbox"/> _____	<input type="checkbox"/> buk <i>Buche</i> <input type="checkbox"/> javor <i>Ahorn</i> <input type="checkbox"/> jasan <i>Esche</i> <input type="checkbox"/> bříza <i>Birke</i> <input type="checkbox"/> smrk <i>Fichte</i> <input type="checkbox"/> jedle <i>Tanne</i> <input type="checkbox"/> borovice <i>Kiefer</i>

**Pro výše uvedenou surovinu platí následující (vhodné prosím zakřížkovat) / Für das oben bezeichnete Rohmaterial gilt folgendes
(Zutreffendes bitte ankreuzen):**

- Dodávané zboží bylo námi odebráno výlučně od vlastníků lesa z výše uvedených zemí / regionů. Přesný původ dodaného zboží je nám znám a lze jej prokázat. / Das gelieferte Material wurde von uns ausschließlich direkt von Waldbesitzern der o. a. Länder/Regionen bezogen. Die genaue Herkunft des gelieferten Materials ist uns bekannt und nachweisbar.

- Dodávané zboží bylo námi odebráno jak od vlastníků lesa, tak i od obchodníků / zpracovatelů z výše uvedených zemí / regionů, kteří prokázali (prostřednictvím dokumentů) původ zboží ve výše uvedených zemích. Přesný původ dodaného zboží je nám znám a lze jej prokázat. / *Das gelieferte Material wurde von uns sowohl von Waldbesitzern der o. a. Länder/Regionen bezogen und/oder von Händlern/Verarbeitern, die uns wiederum (mittels Dokumenten) die Herkunft des Rohmaterials aus den o. a. Ländern/Regionen nachgewiesen haben. Die genaue Herkunft des gelieferten Materials ist uns bekannt und nachweisbar.*
- Přesný původ (vlastník lesa/revír) dodávaného zboží nám není ve všech případech znám, nebo nemůže být ve všech případech doložen. Nejsou nám známi všichni účastníci v dodavatelském řetězci. / *Die genaue Herkunft (Waldbesitzer/Forstrevier) des gelieferten Materials ist uns nicht in allen Fällen bekannt, bzw. kann nicht in allen Fällen belegt werden. Es sind uns nicht alle Beteiligten der Lieferkette bekannt.*

V případě dohledání původu dodávek budeme LBP při obstarávání podkladů původu dříví v celém dodavatelském řetězci (včetně všech subdodavatelů) nápomocni. / *Für den Fall, dass Lieferungen zurückverfolgt werden sollen, wird die LBP bei der Beschaffung der Unterlagen, die den Ursprungsort im Wald entlang der gesamten Lieferkette (inkl. aller Vorlieferanten) bestätigen, unterstützt.*

Tyto informace mají sloužit k minimalizaci rizik a mohou obsahovat následující body / Diese Informationen sollen zur Minimierung des Risikos dienen und können folgende Punkte beinhalten:

Těžba suroviny (dříví) proběhla v souladu s lokálními, národními a mezinárodními zákony. / *Die Nutzung des Rohmaterials (Holz) erfolgte in Übereinstimmung mit lokalen, nationalen und internationalen Gesetzen.*

Surovina nepochází z těžeb, které vedou k přeměně lesa do jiných vegetačních typů (vyklučení lesa) příp. ohrožují biodiverzifikaci v oblasti těžby. / *Das Rohmaterial stammt nicht aus Nutzungen, die eine Umwandlung von Wald in andere Vegetationstypen bewirken (Rodungen), bzw. die Biodiversität des Einschlagsgebietes gefährden.*

Těžbou suroviny nejsou ohrožena práva třetích osob, především domorodých obyvatel. / *Durch die Nutzung des Rohmaterials werden die Rechte Dritter, insbesondere jene indigener Völker, nicht beeinträchtigt.*

Surovina nepochází z oblastí, které mají na základě zákonů vysokou ekologickou a kulturní hodnotu nebo z těžeb chráněných a ohrožených druhů, včetně požadavků Úmluvy o mezinárodním obchodu ohroženými druhy volně žijících živočichů a planě rostoucích rostlin (CITES). / *Das Rohmaterial stammt nicht aus einer Bewirtschaftung von Gebieten mit laut Gesetz hohem ökologischem und kulturellem Wert oder aus dem Einschlag geschützter und gefährdeter Arten, inkl. der CITES-Anforderungen.*

Obchodní a celní zákony země původu jsou dodrženy. / *Die Handels- und Zollgesetze im Herkunfts- und Handelsland werden eingehalten.*

Dodržují se pracovní, zdravotní a bezpečnostní požadavky na lesní práce. / *Arbeits-, Gesundheitsrechtliche Anforderungen, die Waldarbeit betreffend, werden eingehalten.*

Dodávané zboží neobsahuje žádné geneticky modifikované organismy. / *Das gelieferte Material enthält keine gentechnisch veränderten Organismen.*

Daně a poplatky, které vznikly v souvislosti s těžbou a zpracováním suroviny jsou placeny příslušnému orgánu. / *Die im Zusammenhang mit der Nutzung und Verarbeitung des Materials anfallenden Steuern und Abgaben werden an die zuständige Stelle entrichtet.*

Dále umožníme zaměstnancům LBP nebo pro zachování důvěrnosti nezávislým auditorům, kontrolu našich těžeb příp. těžeb našich předpokládaných dodavatelů ve zpracovatelském řetězci.

Toto Prohlášení o původu zboží je nedílnou součástí kupní smlouvy.

Dojde-li v průběhu roku ke změně složení a/nebo původu suroviny nebo subdodavatelů, musí o tom být LBP informován nejméně 6 týdnů předem.

Des Weiteren erlauben wir der LBP, unsere Holzeinschläge bzw. Einschläge vorausgehender Lieferanten in der Kette durch Mitarbeiter der LBP oder – zur Wahrung der Vertraulichkeit – durch unabhängige Auditoren zu kontrollieren.

Diese Lieferantenerklärung zur Materialherkunft ist integraler Bestandteil des Kaufvertrags.

Sollte es im laufenden Geschäftsjahr zu Änderungen hinsichtlich der Zusammensetzung und/oder der Herkunft des Rohmaterials bzw. der Vorlieferanten kommen, muss die LBP mindestens 6 Wochen im Voraus informiert.

Místo, Datum
Ort, Datum

za dodavatele
Für den Lieferanten

*V případě majitele lesa uveďte ve sloupci G název a kód LHC. V případě obchodníka uveďte všechny dodavatele v řetězci na úroveň LHC
*In the case of a forest owner, enter the FMU name and code in column G. In the case of a trader, list all suppliers in the chain at the FMU level
*Im Falle eines Waldbesitzers geben Sie in Spalte G den Namen und den Code des Forstbetriebs an. Im Falle eines Händlers listen Sie alle Lieferanten in der Kette auf der Ebene des Forstbetriebs auf.

Potvrzujeme tímto, že budeme v průběhu kalendářního roku LAG informovat o změnách minimálně 6 týdnů předem
We confirm, that we will inform LAG about all changes minimal 6 weeks before.

Wir bestätigen zudem, die LAG über Änderungen im laufenden Kalenderjahr mind. 6 Wochen vorher davon zu informieren.

Datum

Podpis a razítko

Date

Signature and stamp

Datum

Unterschrift und Firmenstempel